



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

✉ sales@ultrapurelab.com / info@ultrapurelab.com

☎ / 📠 +91 7058322540 / +91 7378378726

🌐 www.ultrapurelab.com

MATERIAL SAFETY DATA SHEET (MSDS) SDS/MSDS

D.P.X. MOUNTANT FOR MICROSCOPY

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Product form

Trade name: D.P.X. MOUNTANT FOR MICROSCOPY

CAS-No. : 130-12-2

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture

1.2.2. Uses advised against

No additional information available

: Industrial

For professional use only

: Laboratory chemicals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015:

According to Regulation (EU)

2015/830, 2020/878 (REACH Annex II)

Flammable liquids, Category 3

Acute toxicity (dermal), Category 4

Skin corrosion/irritation, Category 2

Reproductive toxicity, Category 1B

Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Hazardous to the aquatic environment — Acute Hazard, Category 1

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

H226

H312

H315

H360Df

H335

H400

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102. ☎ +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP)

Contains

:

GHS02

: Danger

GHS07

: Xylene; Dibutyl phthalate

GHS08

GHS09

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H335 - May cause respiratory irritation.

H360Df - May damage the unborn child. Suspected of damaging fertility.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name Product identifier % Classification according to

Regulation (EC) No. 1272/2008

[CLP]

Xylene CAS-No.: 1330-20-7

EC-No.: 215-535-7

EC Index-No.: 601-022-00-9

74 – 76 Flam. Liq. 3, H226

Acute Tox. 4 (Dermal), H312

Acute Tox. 4 (Inhalation), H332

Skin Irrit. 2, H315

STOT SE 3, H335

Polystyrene CAS-No.: 9003-53-6

EC-No.: 500-008-9

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

25 – 27 Not classified

Dibutyl phthalate

substance listed as REACH Candidate (Dibutyl phthalate (DBP))

substance listed in REACH Annex XIV (Dibutyl phthalate (DBP))

CAS-No.: 84-74-2

EC-No.: 201-557-4

EC Index-No.: 607-318-00-4

5 – 6 Repr. 1B, H360D

Repr. 2, H361f

Aquatic Acute 1, H400

Full text of H- and EUH-statements: see section 16



SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/... Wash contaminated clothing before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of damaging fertility. May damage the unborn child.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation.

D.P.X. MOUNTANT FOR MICROSCOPY

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

- : Carbon dioxide. Dry powder. Foam. Water spray.
- : Do not use a heavy water stream.
- 5.2. Special hazards arising from the substance or mixture
 - Fire hazard
 - Explosion hazard
- 5.3. Advice for firefighters
 - : Flammable liquid and vapour.
 - : May form flammable/explosive vapour-air mixture.
- Protection during firefighting
 - : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

6.1.1. For non-emergency personnel

Emergency procedures

6.1.2. For emergency responders

Protective equipment

Emergency procedures

6.2. Environmental precautions

: Remove ignition sources. No open flames. No smoking. Use special care to avoid static electric charges.

: Evacuate unnecessary personnel.

: Use personal protective equipment as required.

: Ventilate area.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

6.4. Reference to other sections

: Collect spillage. On land, sweep or shovel into suitable containers.

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures

: Obtain special instructions before use. Do not breathe vapours. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Technical measures

Storage conditions

Incompatible materials

: Proper grounding procedures to avoid static electricity should be followed. Use explosion proof lighting, electrical, ventilating equipment.

: Keep container tightly closed. Keep in fireproof place.

: Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

9.1. Information on basic physical and chemical properties

Physical state

Appearance

Colour

Odour

Odour threshold

: Liquid

: Clear liquid.

: Colourless.

: aromatic odor.

: No data available

pH : 6 – 7 (1% Solution water)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : 137 – 143 °C

Flash point : 24 °C

Auto-ignition temperature : 527 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : $\approx 0.9068 \text{ g/cm}^3$

Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 600 – 700 mPa·s (20 °C)

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

Refractive index : 1.515 – 1.525 (20°C, 589 nm)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

✉ sales@ultrapurelab.com / info@ultrapurelab.com

☎ / 📠 +91 7058322540 / +91 7378378726

🌐 www.ultrapurelab.com

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Not classified

D.P.X. MOUNTANT FOR MICROSCOPY (130-12-2)

ATE CLP (dermal) 1480.684 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.

pH: 6 – 7 (1% Solution water)

D.P.X. MOUNTANT FOR MICROSCOPY

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT-single exposure

: Not classified

pH: 6 – 7 (1% Solution water)

: Not classified

: Not classified

: Not classified

: May damage the unborn child. Suspected of damaging fertility.

: May cause respiratory irritation.

Xylene (1330-20-7)

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Aspiration hazard

Potential adverse human health effects and

symptoms

SECTION 12: Ecological information

: Not classified

: Not classified

: Harmful in contact with skin.

12.1. Toxicity

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102. ☎ +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Hazardous to the aquatic environment, short-term
(acute)

Hazardous to the aquatic environment, long-term
(chronic)

12.2. Persistence and degradability

: Very toxic to aquatic life.

: Not classified

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Dibutyl phthalate (84-74-2)

12.6. Other adverse effects

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

SECTION 14: Transport information

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR)

UN-No. (IMDG)

UN-No. (IATA)

: UN 1307

: UN 1307

: UN 1307

UN-No. (ADN)

UN-No. (RID)

14.2. UN proper shipping name

: UN 1307

: UN 1307

Proper Shipping Name (ADR)

Proper Shipping Name (IMDG)

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Proper Shipping Name (IATA)

Proper Shipping Name (ADN)

Proper Shipping Name (RID)

Transport document description (ADR)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (RID)

14.3. Transport hazard class(es)

: XYLENES

: XYLENES

: Xylenes

: XYLENES

: XYLENES

: UN 1307 XYLENES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS

: UN 1307 XYLENES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

(17°C c.c.)

: UN 1307 Xylenes, 3, II, ENVIRONMENTALLY HAZARDOUS

: UN 1307 XYLENES, 3, II, ENVIRONMENTALLY HAZARDOUS

: UN 1307 XYLENES, 3, II, ENVIRONMENTALLY HAZARDOUS

ADR

Transport hazard class(es) (ADR)

Danger labels (ADR)

IMDG

Transport hazard class(es) (IMDG)

Danger labels (IMDG)

IATA

Transport hazard class(es) (IATA)

Danger labels (IATA)

ADN

Transport hazard class(es) (ADN)

Danger labels (ADN)

RID

Transport hazard class(es) (RID)

Danger labels (RID)

: 3

: 3

:

: 3

: 3

:

: 3



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

: 3

:

: 3

: 3

:

: 3

: 3

:

14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions
(ADR)

: TP1

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :

Tunnel restriction code (ADR) : D/E

EAC code : 3YE

Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D

Stowage category (IMDG) : B

Flash point (IMDG) : 17°C to 23°C c.c.

Properties and observations (IMDG) : Colourless liquids. Flashpoint: 17°C to 23°C c.c. Explosive limits: 1.1% to 7% Immiscible with water.

MFAG-No : 130

Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y341

PCA limited quantity max net quantity (IATA) : 1L

PCA packing instructions (IATA) : 353

PCA max net quantity (IATA) : 5L

D.P.X. MOUNTANT FOR MICROSCOPY

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO packing instructions (IATA)

CAO max net quantity (IATA)

Special provisions (IATA)

ERG code (IATA)

Inland waterway transport

Classification code (ADN)

Limited quantities (ADN)

Excepted quantities (ADN)

Equipment required (ADN)

Ventilation (ADN)

Number of blue cones/lights (ADN)

Rail transport

Classification code (RID)

Limited quantities (RID)

Excepted quantities (RID)

Packing instructions (RID)

Mixed packing provisions (RID)

Portable tank and bulk container instructions (RID)

Portable tank and bulk container special provisions (RID)

Tank codes for RID tanks (RID)

Transport category (RID)

Colis express (express parcels) (RID)

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Hazard identification number (RID)

: 364

: 60L

: A3

: 3L

: F1

: 1 L

: E2

: PP, EX, A

: VE01

: 1

: F1

: 1L

: E2

: P001, IBC02, R001

: MP19

: T4

: TP1

: LGBF

: 2

: CE7

: 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code

Applicable on

3(a)

3(b)

3(c)

30.

40.

D.P.X. MOUNTANT FOR MICROSCOPY ; Xylene

D.P.X. MOUNTANT FOR MICROSCOPY ; Xylene ; Dibutyl phthalate

D.P.X. MOUNTANT FOR MICROSCOPY ; Dibutyl phthalate

Dibutyl phthalate

Xylene

51(b)

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Dibutyl phthalate

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Dibutyl phthalate (DBP) (EC 201-557-4, CAS 84-74-2)

Contains REACH Annex XIV substances: Dibutyl phthalate (DBP) (EC 201-557-4, CAS 84-74-2)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France

Occupational diseases

Code Description

RG 4 BIS Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them

RG 84 Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid

hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons;

alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters;

dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine;

dimethylsulfone and

dimethylsulfoxide

Germany

Water hazard class (WGK) : Not classified according to Regulation Governing Systems for Handling Substances

Hazardous to Waters (AwSV)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

: Dibutyl phthalate is listed

NIET-limitatieve lijst van voor de voortplanting

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

giftige stoffen – Ontwikkeling

: Xylene, Dibutyl phthalate are listed

Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H312;H315;H335;H360Df;H400>; Emergency management guidelines for the

storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available



SECTION 16: Other information

Full text of H- and EUH-statements

Acute Tox. 4 (Dermal) Acute toxicity (dermal), Category 4

Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4

Aquatic Acute 1 Hazardous to the aquatic environment — Acute Hazard, Category 1

Flam. Liq. 3 Flammable liquids, Category 3

Repr. 1B Reproductive toxicity, Category 1B

Repr. 2 Reproductive toxicity, Category 2

Skin Irrit. 2 Skin corrosion/irritation, Category 2

STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

D.P.X. MOUNTANT FOR MICROSCOPY

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements

H332

H335

H360D

H360Df

Harmful if inhaled.

May cause respiratory irritation.

May damage the unborn child.

May damage the unborn child. Suspected of damaging fertility.

H361f

H400

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ULTRA PURE-LAB CHEM INDUSTRIES (LLP)



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)


 www.ultrapurelab.com

Suspected of damaging fertility.

Very toxic to aquatic life.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540