



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

MATERIAL SAFETY DATA SHEET (MSDS) SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Gallic acid (anhydrous)

CAS-No. : 149-91-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

: Chemical for synthesis

1.3 Details of the supplier of the safety data sheet

Company



SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

the US and Canada

Pictogram

Signal word

Hazard statement(s)

H315

H319

H335

Precautionary statement(s)

P261

P264

P271

P280

P302 + P352

P305 + P351 + P338

Supplemental Hazard

Statements

Warning

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  +91 7058322540 / +91 7378378726

 www.ultrapurelab.com

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wash skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/ eye protection/ face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal word

Hazard statement(s)

Precautionary

statement(s)

Supplemental Hazard

Statements

2.3 Other hazards

Warning

none

none

none

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula

Molecular weight

CAS-No.

EC-No.

Component

: C7H6O5

: 170,12 g/mol

: 149-91-7

: 205-749-9

3,4,5-trihydroxybenzoic acid

Classification

Concentration

CAS-No.

EC-No.

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

149-91-7

205-749-9

Skin Irrit. 2; Eye Irrit. 2;

STOT SE 3; H315, H319,

H335

<= 99 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

Internet: www.kcl.de).

Full contact

the US and Canada

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

b) Odor

c) Odor Threshold

d) pH

e) Melting
point/freezing point

f)

Initial boiling point
and boiling range

g) Flash point

h) Evaporation rate

i)

j)

Flammability (solid,
gas)

Upper/lower

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

flammability or

explosive limits

k) Vapor pressure

l)

Vapor density

m) Relative density

n) Water solubility

Form: solid

No data available

No data available

No data available

Melting point/range: 251 °C

No data available

No data available

No data available

No data available

No data available

No data available

No data available

No data available

soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition

temperature

q) Decomposition

temperature

r) Viscosity

No data available

No data available

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

s) Explosive properties No data available

t)

Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity



UPLC
Ultra Pure-Lab Chem Industries



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: -

14.2 UN proper shipping name

IMDG: -

ADR/RID: Not dangerous goods

IMDG:

Not dangerous goods

IATA:

IATA: -

14.3 Transport hazard class(es)

IATA: -

ADR/RID: -

14.4 Packaging group

ADR/RID: -

14.5 Environmental hazards

ADR/RID: no

14.6 Special precautions for user

Further information

IMDG: -

IMDG: -

IMDG Marine pollutant: no

ULTRA PURE-LAB CHEM INDUSTRIES (LLP)

Address: H.No.712/3, sainagar,

Palghar-401102.  +91 7058322540



ISO 9001 Quality System Certified Organization

MANUFACTURER & EXPORTER OF LABORATORY CHEMICALS AND OILS

Address : H.No.712/3, sainagar, Palghar mumbai 401102

 sales@ultrapurelab.com / info@ultrapurelab.com

 /  [+91 7058322540](tel:+917058322540) / [+91 7378378726](tel:+917378378726)

 www.ultrapurelab.com

IATA: -

IATA: no

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H315

H319

H335

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See